

Discovery of tazheranite (cubic zirconia) in the Allende meteorite

CHI MA* AND GEORGE R. ROSSMAN

Division of Geological and Planetary Sciences, California
Institute of Technology, Pasadena, CA 91125, USA
(*correspondence: chi@gps.caltech.edu)

During an investigation of the mineralogy of the Allende meteorite, we found Y-rich tazheranite (cubic zirconia) $[(\text{Zr},\text{Ti},\text{Ca},\text{Y})\text{O}_{1.75}]$ in a refractory inclusion within an amoeboid olivine aggregate. Synthetic cubic zirconia is well known in the field of materials science. Tazheranite $[(\text{Zr},\text{Ti},\text{Ca})\text{O}_2]$ is a rare, naturally occurring cubic zirconia, discovered in the Tazheran massif, Russia in 1969 [1]. We report here its first occurrence in a meteorite, as an ultra-refractory mineral likely formed at the beginning stage of our solar system.

FE-SEM revealed that tazheranite occurs as subhedral grains (350 nm – 1.2 μm in dia.) along with zirconolite and Fe-Ni and alloys dominant in Os-Ir-Mo-W, occupying the core area in a refractory inclusion with a rim consisting of fassaite (cpx), surrounded by olivine (Fig. 1). The mineral was only found in one polished section, prepared from a 1-cm-diameter Allende fragment. The mean chemical composition of the zirconia phase determined by electron microprobe analysis is (wt%) ZrO_2 49.76, TiO_2 28.45, CaO 9.94, Y_2O_3 6.15, HfO_2 2.23, FeO 2.00, Al_2O_3 0.96, MgO 0.47, Sc_2O_3 0.43, sum 100.39, giving an empirical formula: $(\text{Zr}_{0.38}\text{Ti}^{4+}_{0.33}\text{Ca}_{0.17}\text{Y}_{0.05}\text{Fe}_{0.03}\text{Al}_{0.02}\text{Hf}_{0.01}\text{Sc}_{0.01}\text{Mg}_{0.01})_{\Sigma 1.01}\text{O}_{1.75}$. No other elements with atomic number greater than 4 were detected. *In situ* electron back-scatter diffraction analysis revealed that the zirconia phase has a fluorite-type $Fm\bar{3}m$ structure, identical to that of tazheranite [2] and synthetic cubic zirconia, showing $a = 5.11 \text{ \AA}$ and $Z = 4$. This cubic zirconia likely formed by condensation in the solar nebula.




Figure 1: SEM image showing cubic zirconia in Allende.

[1] Konev *et al.* (1969) *Doklady Acad. Nauk* 186, 917–920.

[2] Rastsvetaeva *et al.* (1998) *Doklady Akad. Nauk* 359, 529–531.